



PRODUCT PERFORMANCE RATING

Document ID 091320190039-9571795

Issued on 13 September 2019

This product is certified by Eurovent Certita Certification as mentioned on

Certificate N° 14.12.005

This document is valid at the date of issue - **Check the current validity on www.eurovent-certification.com**

Product	Variable refrigerant flow / Débit de réfrigérant variable (VRF)
Product type	VRF / Air cooled/ Reversible
Brand	LG
Range	MULTI V 5
Product référence	ARUN240LTE5

This performance certificate is delivered for the following project:

Project Name	Company	Project reference	Project location
LG Electronics		Benelux	Netherlands

FEATURE	VALUE	UNIT
COOLING		
Pc out	67.20	kW
Pec out	20.49	kW
EERout	3.28	



PRODUCT PERFORMANCE RATING

Document ID 091320190039-9571795

Issued on 13 September 2019

This product is certified by Eurovent Certita Certification as mentioned on

Certificate N° 14.12.005

This document is valid at the date of issue - **Check the current validity on www.eurovent-certification.com**

FEATURE	VALUE	UNIT
HEATING		
Ph out	67.20	kW
Peh out	17.64	kW
COPout	3.81	

FEATURE	VALUE	UNIT
ACOUSTICS		
LwO env	95.00	dB(A)

FEATURE	VALUE	UNIT
ACOUSTICS IN HEATING		
LwO env in heating	99.00	dB(A)



PRODUCT PERFORMANCE RATING

Document ID 091320190039-9571795

Issued on 13 September 2019

This product is certified by Eurovent Certita Certification as mentioned on

Certificate N° 14.12.005

This document is valid at the date of issue - **Check the current validity on www.eurovent-certification.com**

FEATURE	VALUE	UNIT
SEASONALCOOLING		
SEER	6.64	
η_{sc}	262.60	%

FEATURE	VALUE	UNIT
COOLING PL COND B		
PcB	49.50	kW
EERB	5.03	

FEATURE	VALUE	UNIT
COOLING PL COND C		
PcC	31.80	kW
EERC	6.70	



PRODUCT PERFORMANCE RATING

Document ID 091320190039-9571795

Issued on 13 September 2019

This product is certified by Eurovent Certita Certification as mentioned on

Certificate N° 14.12.005

This document is valid at the date of issue - **Check the current validity on www.eurovent-certification.com**

FEATURE	VALUE	UNIT
COOLING PL COND D		
PcD	14.20	kW
EERD	13.20	

FEATURE	VALUE	UNIT
SEASONALHEATING		
Pdesignh	52.00	kW
SCOP	3.89	
η_{sh}	152.60	%

FEATURE	VALUE	UNIT
HEATING PL COND A		
PhA	46.00	kW
COPA	2.73	



PRODUCT PERFORMANCE RATING

Document ID 091320190039-9571795

Issued on 13 September 2019

This product is certified by Eurovent Certita Certification as mentioned on

Certificate N° 14.12.005

This document is valid at the date of issue - **Check the current validity on www.eurovent-certification.com**

FEATURE	VALUE	UNIT
HEATING PL COND B		
PhB	28.00	kW
COPB	3.26	

FEATURE	VALUE	UNIT
HEATING PL COND C		
PhC	18.00	kW
COPC	5.99	

FEATURE	VALUE	UNIT
HEATING PL COND D		
PhD	8.00	kW
COPD	8.02	



PRODUCT PERFORMANCE RATING

Document ID 091320190039-9571795

Issued on 13 September 2019

This product is certified by Eurovent Certita Certification as mentioned on

Certificate N° 14.12.005

This document is valid at the date of issue - **Check the current validity on www.eurovent-certification.com**

FEATURE	VALUE	UNIT
T BIVALENT		
Tbiv	-10.00	°C
PhTbiv	52.00	kW
COPTbiv	2.64	

FEATURE	VALUE	UNIT
PSBC		
Psbc	40.00	W

FEATURE	VALUE	UNIT
PSBH		
Psbh	215.00	W



PRODUCT PERFORMANCE RATING

Document ID 091320190039-9571795

Issued on 13 September 2019

This product is certified by Eurovent Certita Certification as mentioned on

Certificate N° 14.12.005

This document is valid at the date of issue - **Check the current validity on www.eurovent-certification.com**

FEATURE	VALUE	UNIT
GENERAL - PRODUCT		
Mounting	ducted	
Cassette Type		
IU Range Names	ARNU***B***	
Main Power Supply	400-3-50	
Refrigerant	R410A	
Capacity Control	Variable	